




# 2 WAY POWER DIVIDERS

PD2-05600-S3

APPLICATION		REVISION			
NEXT ASSY	USED ON	LTR	DESCRIPTION	DATE	APPROVED



Specifications:

Frequency Range: .5 to 6 GHz  
 Insertion Loss: 1.1 db Max.  
 VSWR: 1.5:1 Max.  
 Isolation: 18 db Min.  
 Amp. Balance: +/-0.25 db Max.  
 Phase Balance: +/- 2 degree Max.  
 Input Power: 30 WCW with Output Load VSWR : 1.2:1 Max.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES ± .XX ±.03 ± .XXX ±.01	CONTRACT NO.		TAYLOR MICROWAVE, INC. 48 INDUSTRIAL WEST • CLIFTON, N.J. 07012
	APPROVALS	DATE	
	DRAWN J.B.	10/16	
	TITLE 2 WAY POWER DIVIDER		
MATERIAL	CHECKED		SIZE CODE IDENT NO. DRAWING NO. A OE3Y7 PD2-056000-S3
	E.E. B.S.	10/16	
FINISH GREY PAINT			SCALE NONE CAD 13 SHEET 1 OF 1
DO NOT SCALE DRAWING			

## TAYLOR MICROWAVE, INC.

48 Industrial West, Clifton, NJ 07012 • Tel.(973)890-7763 • Fax.(973)890-7793

